SHORE-BET: COASTAL COMMUNITY BENEFIT TOOL FOR MARSH RESTORATION

Background

Coastal and estuarine marsh habitats provide important benefits to coastal communities. These benefits, such as carbon storage, nutrient removal, fish habitat provision, recreation opportunities, aesthetics, and reduction in storm damages, are often referred to as ecosystem services. Changing climate conditions and human stressors are threats to marsh habitats and their ability to provide valued services. The increasing rate of sea level rise is causing increased marsh




migration and loss (Mitchell et al. 2017). Loss of marsh habitat is especially prevalent in areas where marsh migration pathways are limited.

Coastal development and hard shoreline modification for erosion control, such as the installation of bulkheads and revetments, lead to the reduction of natural resilience and adaptive capacity of coastal environments (Sutton-Grier et al. 2015). In order to prevent erosion while still protecting the resiliency of coastal environments, nature-based solutions may be utilized. Nature-based coastal protection approaches that restore or protect salt marsh as a means to reduce erosion and storm damage (*living shorelines* henceforth) can help mitigate some of the anticipated loss or degradation of marshes from climate and anthropogenic stressors, in particular sea level rise. For additional information about living shorelines, please visit: https://www.vims.edu/ccrm/outreach/living_shorelines/

Project Overview

This project developed an interactive web-based tool, **SHORE-BET: MARSH RESTORATION COASTAL COMMUNITY BENEFIT TOOL**, that calculates gained ecosystem and community benefits for marsh restoration projects. This tool is intended to support preliminary planning, reporting, and restoration prioritization.


SHORE-BET calculates the economic value of select key coastal community benefits to be gained by using living shoreline techniques that restore marshes. This tool helps to account for these ecosystem services so that coastal communities can be better informed when making decisions impacting their environment, economy, and overall quality of life. The geographic focus of this is the counties along the Chesapeake Bay within the Middle Peninsula, Virginia (Gloucester, Mathews, Middlesex); however, the approaches behind the tool can be transferred to other regions.





Study Area

The Middle Peninsula is a large peninsula in Virginia on the western shore of the Chesapeake Bay. Lying between the York and Rappahannock Rivers, the region includes six counties: Essex, Gloucester, King and Queen, King William, Mathews, and Middlesex. The Middle Peninsula is largely rural, home to just over 90,000 individuals (U.S. Census Bureau 2023) and with an economy that is reliant on natural resources. Key industries include agriculture, forestry, commercial fisheries, aquaculture, and tourism. In 2022, the National Oceanic and Atmospheric Administration (NOAA) selected the Middle Peninsula of Virginia as one of ten "Habitat Focus Areas" (HFAs) across the country. HFAs are locations where habitat restoration activities and resources are targeted to have the greatest impact, increase coastal community resiliency, and advance habitat science and conservation efforts. This study focused on the counties directly adjacent to the Chesapeake Bay (Gloucester, Mathews, Middlesex).




Middle Peninsula, Virginia with a population of ~90,000 people has over 12,000 acres Tidal Marsh and more than 500 living shorelines

Approach

This project estimated the economic value of community benefits derived by tidal marshes and restored living shoreline marshes from the following ecosystem services: storm/flood risk reduction, fish habitat provision, nutrient removal, carbon storage, and recreational fishing. While this list is not exhaustive, it captures many of the key services providing marsh ecosystem service value in the study region.

We conducted a literature review to determine the mean dollar value per acre per year for each ecosystem service. Ecosystem service values were applied to the study region with location-specific adjustments when sufficient local information was available (e.g., values were adjusted on the basis of marsh sizes and shapes or proximity to public access). Recreational benefits were determined from a survey of recreational fishers in the Middle Peninsula that quantified habitat use and willingness to pay. Detailed methods for each ecosystem service value estimation can be downloaded from the SHORE-BET Tool (*Calculation Info*).

Ecosystem service values for marshes were integrated into a web-based tool, SHORE-BET. This tool allows a user to input basic information on the size and location of a proposed or existing salt marsh restoration project (often living shorelines) and it outputs the annual and projected 30-year benefits derived from the restoration. The projected 30-year value for each benefit is determined by multiplying the annual value by a discount factor that adjusts future values to today's dollars. The weight factor applied was 22.39646, which is the 30-year weight factor with a 2% discount rate, *source: Circular No. A-4, The White House, Nov 2023*.






SHORE-BET Tool Outputs and Uses

The SHORE-BET tool provides the following outputs for each project:

- o annual and projected 30-year benefits for each ecosystem service
- the total projected 30-year value for the bundle of services
- total shoreline length protected
- o marsh area protected/restored
- relative rankings for public access, storm exposure, fish habitat quality, social vulnerability, and population per square mile for the project location





The SHORE-BET tool may be beneficial for groups involved in fisheries management, shoreline restoration, coastal planning, and technical guidance. The SHORE-BET tool serves as a method to plan and prioritize restoration projects, acquire grant funding, and raise awareness of living shoreline and marsh ecosystem benefits for the broader community.

Citations

Mitchell, M., Herman, J., Bilkovic, D.M. and Hershner, C., 2017. Marsh persistence under sea-level rise is controlled by multiple, geologically variable stressors. *Ecosystem Health and Sustainability*, *3*(10), p.1379888. https://doi.org/10.1080/20964129.2017.1396009

Sutton-Grier, A. E., Wowk, K., & Bamford, H. A. (2015). Future of our coasts: The potential for natural and hybrid infrastructure to enhance the resilience of our coastal communities, economies and ecosystems. *Environmental Science & Policy*, *51*, 137–148. https://doi.org/10.1016/j.envsci.2015.04.006

U.S. Census Bureau. (2023). *Census Bureau tables*. https://data.census.gov/table?g=050XX00US51057,51073,51097,51101,51115

Project Contributors. VIMS: Donna Marie Bilkovic, Andrew Scheld, Susanna Musick, Robert Isdell, Pam Mason, Molly Mitchell, Jess Hendricks, Sean Gregory, Cirse Gonzalez (CBNERR); W&M: Randy Chambers, Matthias Leu, Sarah Stafford; Students: VIMS: Matthew Whalen, Kati Grigsby, Jessica Fergel, AnnJacob Woodson, Oluwakemi Dada, Maddie Helfer, Sophie Jackson (W&M), Madelyn Atkins (W&M), Kathleen Powers (UVA ERI program). NOAA CBO Partners: Andrew Larkin, Lauren Taneyhill. Community partners: VMRC, DEQ/CZM, CBF, NERRS, Colonial SWCD, MPPDC, DWR, HRPDC, Wetlands Watch, SEAS, Recreational fishers, Master Gardeners, Upper Mattaponi Indian Tribe, CBLP, Master Naturalists

For More Information

Project: https://www.vims.edu/ccrm/research/climate change/adaptation/eco-services/index.php

SHORE-BET Tool: https://cmap22.vims.edu/ShoreBet/

